

NAME

`citetags` – extract BibTeX citation tags from a LaTeX source or .aux file

SYNOPSIS

`citetags` *LaTeX source or .aux file* >*tagsfile*

DESCRIPTION

`citetags` extracts BIB_TE_X citation tags from a L^AT_EX source file or .aux file and sends them to *stdout*, possibly for later input to `citefind`(1).

`citetags` and `citefind`(1) can be used to extract from a large BIB_TE_X bibliography data base just those bibliography entries that are actually used in a particular document, perhaps for submission to a publisher, or distribution in electronic form.

BUGS

`citetags` is not smart enough to incorporate BIB_TE_X cross references unless they are themselves cited.

That feature should be added.

SEE ALSO

`bibcheck`(1), `bibclean`(1), `bibdup`(1), `bibextract`(1), `bibjoin`(1), `biblabeled`(1), `biblex`(1), `bibborder`(1), `bibparse`(1), `bibsort`(1), `bibtex`(1), `bibunlex`(1), `citefind`(1), `citesub`(1), `gawk`(1), `latex`(1), `nawk`(1), `tex`(1).

FILES

`/usr/local/share/lib/bibextract/citetags.awk` `nawk`(1) program for tag extraction.

`/usr/local/bin/citetags` user-callable shell script to invoke `nawk`(1).

AUTHOR

Nelson H. F. Beebe
Center for Scientific Computing
University of Utah
Department of Mathematics, 322 INSCC
155 S 1400 E RM 233
Salt Lake City, UT 84112-0090
USA
Tel: +1 801 581 5254
FAX: +1 801 585 1640, +1 801 581 4148
Email: beebe@math.utah.edu, beebe@acm.org, beebe@ieee.org (Internet)
WWW: <http://www.math.utah.edu/~beebe>